

Accessories





Catalog number	Part number	Description
GT-66	C77220-000	66 ft (20 m) roll of glass tape for attaching heating cable to pipe. Not for stainless steel pipes or for installation temperatures below 40°F (5°C).
GS-54	C77221-000	54 ft (16.5 m) roll of glass tape for attaching heating cable to pipe. For stainless steel pipes or for any installation below 40°F (5°C).
AT-180	158139-000	180 ft (55 m) roll of aluminum tape for attaching heating cables and thermostat sensors to pipes and tanks. Minimum installation temperature: 32°F (0°C). Dimensions: 2.5" wide, 5 mils thick.

Pipe straps

PS-01 C77211-000	For conduit ≤ 1"
PS-03 C77212-000	For connection kits on pipes with dimensions \leq 2"
PS-10 C77213-000	For connection kits on pipes with dimensions 2" – 10"
PS-20 C77216-000	For connection kits on pipes with dimensions 10" – 19.5"
	Used to secure connection kits and brackets to pipes. Order by pipe diameter, as shown above.

l a	h	e	İs
∟u	N	u	ю

Catalog number	Part number	Description	
FTI	C77203-000	"Electric Traced" label for identifying traced pines and tanks	



H56834 2/11 www.tycothermal.com tyco Thermal Controls 1 of 3

Gland Entry Kit

		Description	Kit Contents	
Catalog number	Part number		Quantity	Description
C75-100-A	000539-000	A NEMA 4X-rated gland kit used to transition	1	Red grommet
		heating cables into a junction box when mak-	1	Gland with threaded inserts
		ing connections off of a pipe or tank. It may be used for power, splice, or tee connec-	1	Gland with screws
		tions. For use with Raychem brand BTV,	1	Gland gasket
	QTVR, XTV, KTV ⁽¹⁾ , VPL, and LBTV2-CT ⁽²⁾ heating cables. The kit does not include the junction box, flexible tubing, or tape that are required to make a complete connection. (1) For KTV only, order PMK-GP-10 grommet (P/N 700823)	QTVR, XTV, KTV ⁽¹⁾ , VPL, and LBTV2-CT ⁽²⁾	1	Locknut
		•	1	Green/yellow tube
		1	CS-100 core sealer	
		3,	1	Terminal block
		(2) For LBTV2-CT only, order HCS-100-A heat-shrink core sealer (P/N 257649) and PMK-GK-10 grommet (P/N 222724)		

Single-Entry Transition Kit

			Kit Conter	nts
Catalog number	Part number	Description	Quantity	Description
JS-100-A	166639-000	Junction box stand for use with Raychem	1	Stand assembly
	1.3	brand BTV, QTVR, XTV, KTV, and VPL heating	1	Lubricant
		cables. A separate customer-supplied NEMA 4X junction box is required.	1	Adapter for small pipes
		,	1	Cable tie
			1	Green/yellow tube
			1	CS-100 cold-applied core sealer
			1	JS-100 transition
) g		1	1-inch locknut

Cold-Applied Core Sealer

Catalog number	Part number	Description
CS-100-A	232949-000	Replacement cold-applied core sealer for Raychem brand BTV, QTVR, XTV, KTV, and VPL heating cables.




Conduit Drain

Catalog number	Part number	Description
JB-DRAIN-PLUG-3/4IN	278621-000	Tyco Thermal Controls recommends the use of this 3/4-in conduit drain with each JBS-100 and
		JBM-100, and other enclosures with associated conduits, to prevent condensate from collecting in the box.
/ o V \\\\\\\		iii tiio box.



Brackets, Adapters	<u> </u>		
Catalog number	Part number	Description	
JBS-SPA	E90515-000	Adapter for mounting E-100, JBS-100, and JS-100 to small pipe (\leq 1 inch nominal diameter).	
JBM-SPA	D55673-000	Adapter for mounting JBM-100 and T-100 to small pipe (≤ 1 inch nominal diameter).	
\$B-100-T	279613-000	Adapter for mounting E-100, E-100-L, and JBS-100 connection kits on a tank surface.	
UMB	263757-000	Universal mounting bracket for mounting thermostats and other equipment on a pipe.	




471139-000

JB-SB-25

Helical Flexible Plastic Tubing

Catalog number Part number Description

Stainless-steel mounting bracket for RAYSTAT-EX-03-A thermostat.



H56834 2/11 www.tycothermal.com tyco Thermal Controls 3 of 3

Worldwide Headquarters Tyco Thermal Controls

7433 Harwin Drive Houston, TX 77036

USA

Tel: 800-545-6258 Tel: 650-216-1526 Fax: 800-527-5703 Fax: 650-474-7711 info@tycothermal.com www.tycothermal.com

Canada Tyco Thermal Controls 250 West St.

Trenton, Ontario Canada K8V 5S2 Tel: 800-545-6258 Fax: 800-527-5703

Latin America **Tyco Thermal Controls**

7433 Harwin Drive Houston, TX 77036 **United States** Tel: 713-868-4800

Tel: 713-735-8645 Fax: 713-868-2333

Europe, Middle East, Africa (EMEA) Tyco Thermal Controls

Romeinse Straat 14 3001 Leuven België / Belgique Tel: +32 16 213 511 Fax: +32 16 213 603

Asia Pacific Tyco Thermal Controls

20F, Innovation Building, 1009 Yi Shan Rd. Shanghai 200233.

P.R.China

Tel: +86 21 2412 1688

Fax: +86 21 5426 2937 / 5426 3167

Tyco, Alliance Integrated Systems, AMC, AutoMatrix, AutoSol, BTV, CapaciSense, Chemelex, DHSX, DigiTrace, DigiTrace logo, DigiTrace Supervisor, Duoterm, ElectroMelt, EM2XR, FHSM, FHSC, FlexFit, FlexiClic, Flowguard, FreezeTrace, FreezeGard, Frostex, Flostex Plus, Frostguard, FroStop, FSE, Gardian, HAK, Handvise, HBTV, HCCL, HotCap, HQTV, HTPG, HTPI, HWAT, HXTV, IceStop, Interlock, Isocable, Isodrum, Isoheat, Isomantle, Isopad, Isopad Frostguard, Isopad Iogo, Isopanel, Isotape, Isotherm, JBM, JBS, K-Flex, Isotherm, Isotherm ShrinkCap, ShrinkSeal, ShrinkSystems, ShrinkTube, SLBTV, SnoCalc, SnoCalc logo, STS, System 500, System 1850, System 1850-SE, System 2000, System 2200, T2, T2 logo, T2Blue, T2QuickNet, T2Red, T2Reflecta, TankCalc Plus, TempBus, Thermoheat, ThermoLimit, ThermoLine, Touch, Trace-Loc, TraceCalc, TraceCalc Net, TraceCalc Net logo, TraceCalc Pro logo, TraceGard 277, TraceMaster, Tracer, Tracer logo, TracerLynx, TracerLynx logo, TraceStat, TraceTek, TraceTek logo, TruckPak, VLBTV, VLKTV, VPL, We manage the heat you need, WinterGard, WinterGard logo, WinterGard Plus, WinterGard Wet, XL-Trace, XTV and Zero EMI are registered and/or unregistered trademarks of Tyco Thermal Controls LLC or its affiliates.

All other trademarks are the property of their respective owners.



Important: All information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their particular application. Tyco Thermal Controls makes no warranties as to the accuracy or completeness of the information, and disclaims any liability regarding its use. Tyco Thermal Controls' only obligations are those in the Tyco Thermal Controls Standard Terms and Conditions of Sale for this product, and in no case will Tyco Thermal Controls or its distributors be liable for any incidental, indirect, or consequential damages arising from the sale, resale, use, or misuse of the product. Specifications are subject to change without notice. In addition, Tyco Thermal Controls reserves the right to make changes—without notification to Buyer—to processing or materials that do not affect compliance with any applicable specification.